















TOWN OF SIDNEY PREFERRED NATIVE FLORA PLANTING LIST















TALL TREE SPECIES														
COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE	
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade			
Grand Fir	<i>Abies grandis</i>	<80 m	N/A		✓	✓				✓	✓			
Black Cottonwood	<i>Populus trichocarpa</i>	<50 m	March-May			✓		✓		✓				
Coastal Douglas-fir	<i>Pseudotsuga menziesii ssp. menziesii</i>	<90 m	N/A	✓	✓					✓	✓	✓		
Western Redcedar	<i>Thuja plicata</i>	<60 m	N/A			✓	✓	✓		✓	✓			















MEDIUM HEIGHT TREE SPECIES														
COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE	
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade			
Bigleaf Maple	<i>Acer macrophyllum</i>	<35 m	April-May		✓	✓			✓	✓	✓			

Red Alder	<i>Alnus rubra</i>	<25 m	March-April			✓			✓	✓				
Arbutus	<i>Arbutus menziesii</i>	6-30 m	April-May	✓					✓	✓	✓			
Western Flowering Dogwood	<i>Cornus nuttallii</i>	<20 m	April-June		✓				✓	✓	✓			
Trembling Aspen	<i>Populus tremuloides</i>	<25 m	April-May	✓	✓	✓			✓			✓		
Garry Oak	<i>Quercus garryana</i>	<25 m	April-May	✓	✓				✓	✓	✓			













































SMALL TREE & LARGE SHRUB SPECIES















COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE	
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade			
Vine Maple	<i>Acer circinatum</i>	1-8 m	April-May		✓	✓	✓	✓	✓					















Douglas Maple	<i>Acer glabrum</i>	1-7 m	April-May	✓	✓			✓	✓	✓			
Saskatoon	<i>Amelanchier alnifolia</i>	1-5 m	April-July	✓	✓				✓	✓			
Black Hawthorn	<i>Crataegus douglasii</i>	<10 m	May-June		✓	✓		✓	✓	✓			
Seaside Juniper	<i>Juniperus maritima</i>	1-15 m	N/A	✓				✓	✓				
Pacific Crab Apple	<i>Malus fusca</i>	2-12 m	April-May			✓	✓		✓				
Shore Pine	<i>Pinus contorta var. contorta</i>	6-20 m	N/A	✓	✓	✓	✓	✓	✓				
Bitter Cherry	<i>Prunus emarginata</i>	2-15 m	April-June			✓		✓	✓				























Chokecherry	<i>Prunus virginiana</i>	1-4 m	May-July	✓	✓			✓	✓	✓			
Cascara	<i>Rhamnus purshiana</i>	8-10 m	May-June		✓	✓		✓	✓	✓	✓		
Hookers Willow	<i>Salix hookeriana</i>	<6 m	February			✓	✓		✓				
Pacific Willow	<i>Salix lucida</i>	1-11 m	March-May		✓	✓	✓		✓				
Scouler's Willow	<i>Salix scouleriana</i>	3-20 m	March-April	✓	✓	✓			✓				
Sitka Willow	<i>Salix sitchensis</i>	1-8 m	March-April		✓	✓			✓				
Western Yew	<i>Taxus brevifolia</i>	2-15 m	N/A		✓	✓			✓				

SHRUBS









COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade		
Hairy Manzanita	<i>Arctostaphylos columbiana</i>	1-3 m	March-June	✓				✓	✓			   	
Kinnikinnick	<i>Arctostaphylos uva-ursi</i>	5-20 cm	April-June	✓				✓	✓	✓		   	
Red-osier Dogwood	<i>Cornus stolonifera</i>	1-6 m	May-July		✓	✓	✓		✓	✓	✓	    	
Beaked Hazelnut	<i>Corylus cornuta</i>	1-4 m	January-March		✓			✓	✓	✓		   	
Salal	<i>Gaultheria shallon</i>	0.2-5 m	May-June	✓	✓	✓	✓	✓	✓	✓		        	
Oceanspray	<i>Holodiscus discolor</i>	1-4 m	June-July	✓	✓				✓	✓		    	
Black Twinberry	<i>Lonicera involucrata</i>	0.5-3 m	April-May			✓			✓	✓	✓	     	















Tall Oregon Grape	<i>Mahonia aquifolium</i>	1-2 m	March-May	✓	✓			✓	✓	✓			
Dull Oregon Grape	<i>Mahonia nervosa</i>	0.1-0.6 m	March-June	✓	✓					✓	✓		
Indian Plum	<i>Oemleria cerasiformis</i>	1.5-5 m	March-April	✓	✓	✓				✓	✓		
Mock Orange	<i>Philadelphus lewisii</i>	3 m	June	✓	✓	✓		✓	✓	✓			
Pacific Ninebark	<i>Physocarpus capitatus</i>	1-4 m	May-June			✓	✓		✓	✓			
Black Gooseberry	<i>Ribes lacustre</i>	0.5-2 m	April-May			✓		✓	✓	✓			
Red-flowering Currant	<i>Ribes sanguineum</i>	1-3 m	April-June	✓	✓	✓			✓	✓			























Baldhip Rose	<i>Rosa gymnocarpa</i>	0.3-1.5 m	May-August	✓	✓			✓	✓	✓				
Nootka Rose	<i>Rosa nutkana</i>	0.5-3 m	May-July	✓	✓	✓		✓	✓					
Clustered Wild Rose	<i>Rosa pisocarpa</i>	0.5-2 m	May-July			✓	✓	✓	✓					
Black Raspberry	<i>Rubus leucodermis</i>	0.5-2 m	April-July	✓	✓	✓	✓	✓	✓	✓				
Thimbleberry	<i>Rubus parviflorus</i>	0.5-3 m	May-July		✓	✓				✓	✓	✓		
Salmonberry	<i>Rubus spectabilis</i>	1-4 m	March-June			✓	✓			✓	✓			
Red Elderberry	<i>Sambucus racemosa</i>	2-4 m	April-June		✓	✓				✓	✓			















Hardhack	<i>Spiraea douglasii</i>	0.5-2 m	June-August			✓	✓		✓			    	
Common Snowberry	<i>Symphoricarpos albus</i>	0.5-2 m	May-August	✓	✓			✓	✓	✓		     	
Evergreen Huckleberry	<i>Vaccinium ovatum</i>	0.5-4 m	April-May	✓	✓	✓			✓	✓	✓	       	
Red Huckleberry	<i>Vaccinium parvifolium</i>	1-4 m	April-June		✓	✓		✓	✓	✓	✓	   	























PERENNIAL FORBS

























COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade		
Yarrow	<i>Achillea millefolium</i>	10-100 cm	June-November	✓	✓			✓	✓			 	
Nodding Onion	<i>Allium cernuum</i>	<50 cm	July-August	✓	✓			✓	✓			   	



Pearly Everlasting	<i>Anaphalis margaritacea</i>	20-100 cm	July-September	✓	✓	✓			✓	✓			
Red Columbine	<i>Aquilegia canadensis</i>	40-100 cm	May-August		✓	✓		✓		✓	✓		
Sea Thrift	<i>Armeria maritima</i>	5-45 cm	April-June	✓				✓	✓				
Harvest Brodiaea	<i>Brodiaea coronaria</i>	<30 cm	July-September	✓				✓	✓				
Great Camas	<i>Camassia leichtlinii</i>	20-100 cm	April-June	✓	✓				✓	✓			
Common Camas	<i>Camassia quamash</i>	<70 cm	April-June	✓	✓				✓	✓			
Field Chickweed	<i>Cerastium arvense</i>	5-50 cm	April-June	✓				✓	✓				

Yerba Buena	<i>Clinopodium douglasii</i>	<100 cm	April-September	✓	✓			✓		✓	✓	✓		
Menzies Larkspur	<i>Delphinium menziesii</i>	<50 cm	April-July	✓	✓			✓	✓				 	
Pacific Bleeding Heart	<i>Dicentra formosa</i>	15-50 cm	May-June		✓	✓				✓	✓		  	
Broad-leaved Shooting Star	<i>Dodecatheon hendersoni</i>	10-30 cm	May	✓	✓			✓	✓	✓			 	
Few-flowered Shooting Star	<i>Dodecatheon pulchellum</i>	5-50 cm	April-August		✓	✓		✓	✓	✓			 	
Woolly Sunflower	<i>Eriophyllum lanatum</i>	25-60 cm	May-August	✓				✓	✓				  	
White Fawn Lily	<i>Erythronium oregonum</i>	<30 cm	March-May	✓	✓				✓	✓			 	





Coastal Strawberry	<i>Fragaria chiloensis</i>	5-25 cm	July	✓	✓			✓	✓	✓			
Woodland Strawberry	<i>Fragaria vesca</i>	5-25 cm	May-August	✓	✓	✓				✓			
Wild Strawberry	<i>Fragaria virginiana</i>	5-25 cm	May-August	✓	✓	✓			✓	✓			
Entire-leaved Gumweed	<i>Grindelia stricta</i>	15-80 cm	July-October	✓	✓			✓	✓				
Small-flowered Alumroot	<i>Heuchera micrantha</i>	15-60 cm	May-June	✓	✓	✓		✓		✓	✓		
Beach Pea	<i>Lathyrus japonicus</i>	10-150 cm	April-June	✓				✓	✓				
Spring Gold	<i>Lomatium utriculatum</i>	10-60 cm	April-May	✓	✓			✓	✓	✓			



Large-leaved Lupine	<i>Lupinus polyphyllus</i>	<1.5 m	April-June		✓	✓			✓			  	
False Lily of the Valley	<i>Maianthemum dilatatum</i>	10-40 cm	May-June		✓	✓	✓			✓	✓	   	
Small-leaved Montia	<i>Montia parvifolia</i>	10-30 cm	May-July	✓	✓	✓		✓		✓	✓		
Satinflower	<i>Olsynium douglasii</i>	<30 cm	March-April	✓	✓	✓		✓	✓				
Graceful Cinquefoil	<i>Potentilla gracilis</i>	30-80 cm	May-July	✓	✓	✓			✓			 	
Western Buttercup	<i>Ranunculus occidentalis</i>	15-60 cm	April-June		✓	✓		✓	✓	✓			
Trailing Blackberry	<i>Rubus ursinus</i>	<50 cm	April-August	✓	✓	✓			✓	✓	✓	   	









Pacific Sanicle	<i>Sanicula crassicaulis</i>	25-120 cm	May-June	✓	✓	✓		✓		✓			
Lance-leaved Stonecrop	<i>Sedum lanceolatum</i>	5-25 cm	June-August	✓				✓	✓			  	
Broad-leaved Stonecrop	<i>Sedum spathulifolium</i>	<20 cm	April-June	✓				✓	✓			  	
False Solomon's Seal	<i>Smilacina racemosum</i>	30-100 cm	May-July		✓	✓				✓	✓	  	
Common California Aster	<i>Symphotrichum chilense</i>	50-100 cm	July-September	✓	✓				✓			 	
Douglas' Aster	<i>Symphotrichum douglasii</i>	20-80 cm	July-September		✓	✓			✓			  	
Fringecup	<i>Tellima grandiflora</i>	40-80 cm	May-July		✓	✓				✓	✓	 	

Western Trillium	<i>Trillium ovatum</i>	10-45 cm	April-May			✓				✓	✓	🐝	
Fool's Onion	<i>Triteleia hyacinthina</i>	<70 cm	June-July	✓	✓					✓		🐝 🦋	










ANNUAL FORBS

COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE	
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade			
Miner's Lettuce	<i>Claytonia perfoliata</i>	5-30 cm	April-June		✓	✓			✓	✓	✓		🍴	
Small-flowered Blue-eyed Mary	<i>Collinsia parviflora</i>	5-40 cm	March-June	✓	✓	✓			✓	✓	✓		🐝	
Bi-coloured Lupine	<i>Lupinus bicolor</i>	10-40 cm		✓	✓				✓	✓			🐝	
Small-flowered Lupine	<i>Lupinus polycarpus</i>	10-45 cm		✓					✓	✓			🐝 🦋 🐦	


















Sea Blush	<i>Plectritis congesta</i>	10-60 cm	April-June	✓	✓	✓			✓	✓	✓			
------------------	----------------------------	----------	------------	---	---	---	--	--	---	---	---	--	--	--
















FERNS														
COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE	
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade			
Northern Maiden-hair Fern	<i>Adiantum aleuticum</i>	15-75 cm	N/A			✓					✓	✓		
Lady Fern	<i>Athyrium filix-femina</i>	<200 cm	N/A		✓	✓	✓			✓	✓	✓		
Deer Fern	<i>Blechnum spicant</i>	10-60 cm	N/A			✓	✓				✓	✓		
Licorice Fern	<i>Polypodium glycyrrhiza</i>	<70 cm	N/A	✓	✓			✓		✓	✓			
Sword Fern	<i>Polystichum munitum</i>	30-150 cm	N/A		✓	✓					✓	✓		


















VINES

COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE	
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade			
Trumpet Honeysuckle	<i>Lonicera ciliosa</i>	<6 m	April-May	✓	✓			✓			✓	✓	   	
Hairy Honeysuckle	<i>Lonicera hispidula</i>	1-6 m	April-May	✓	✓			✓			✓	✓	  	

GRAMINOIDS

COMMON NAME	SCIENTIFIC NAME	HEIGHT	FLOWERING PERIOD	SOIL					LIGHT			ATTRIBUTES	IMAGE	
				Dry	Mesic	Moist	Wet	Well-drained	Sun	Partial Shade	Shade			
Lemmon's Needlegrass	<i>Achnatherum lemmonii</i>	15-90 cm	May-June	✓				✓	✓				 	
California Brome	<i>Bromus carinatus</i>	30-100 cm	May-June	✓		✓			✓	✓			   	
Long-stoloned Sedge	<i>Carex inops</i>	20-50 cm	April-June	✓	✓				✓	✓			  	
Slough Sedge	<i>Carex obnupta</i>	30-150 cm	May-July				✓		✓	✓	✓		   	

California Oatgrass	<i>Danthonia californica</i>	15-80 cm	May-July	✓	✓	✓			✓	✓			
Tufted Hairgrass	<i>Deschampsia cespitosa</i>	30-150 cm	June-August			✓	✓		✓				
Blue Wildrye	<i>Elymus glaucus</i>	30-180 cm	May-June	✓	✓				✓	✓			
Roemer's Fescue	<i>Festuca roemeri</i>	20-80 cm	June-August	✓				✓	✓				
Red Fescue	<i>Festuca rubra</i>	15-90 cm	June-August		✓	✓	✓		✓	✓			
Common Rush	<i>Juncus effusus</i>	25-130 cm	June-August			✓	✓		✓	✓			
Dune Wildrye	<i>Leymus mollis</i>	50-150 cm	June-July		✓	✓		✓	✓				
Pacific Woodrush	<i>Luzula comosa</i> <i>var. laxa</i>	15-35 cm	March-June			✓	✓		✓				

Alaska Oniongrass	<i>Melica subulata</i>	30-100 cm	April-June	✓	✓					✓	✓		
Soft-stemmed Bulrush	<i>Schoenoplectus tabernaemontani</i>	50-200 cm	July-September				✓		✓			   	
Small-flowered Bulrush	<i>Scirpus microcarpus</i>	60-150 cm	May-June				✓			✓		   	
Common Cattail	<i>Typha latifolia</i>	50-200 cm	June-July				✓		✓			   	



REFERENCES:

<http://nat.bc.ca/images/Native-Plant-Guide-For-Website.pdf>

<http://linnet.geog.ubc.ca/Atlas/Atlas.aspx?sciname=Oemleria%20cerasiformis>

<http://nativeplantspnw.com/tall-oregon-grape-mahonia-aquifolium/>

http://vichortsociety.org/wp-content/uploads/2013/10/E.Vancouver.Isl_.2017.ver6_.pdf

<http://www.saanichnativeplants.com/>

https://plants.usda.gov/plantguide/pdf/cs_potr5.pdf

<https://www.for.gov.bc.ca/hfd/library/documents/treebook/tremblingaspen.htm>

<https://www2.gov.bc.ca/gov/content/industry/forestry/managing-our-forest-resources/silviculture/tree-species-selection/tree-species-compendium-index/trembling-aspen>

WHERE TO BUY NATIVE PLANTS

SOUTH ISLAND

Down to Earth Gardens & Nursery

1096 Derrien Place
Victoria, BC
250-391-9366

www.downtoearthgardensandnursery.com

GardenWorks — Colwood

1859 Island Highway
Victoria, BC
250-478-2078

www.gardenworks.ca

GardenWorks — Saanich

4290 Blenkinsop Road
Victoria, BC
250-721-2140

www.gardenworks.ca

Island View Nursery

(wholesale)
2933 McIntyre Road
Saanichton, BC
250-544-4802

<https://islandviewnursery.net/>

Lochside Nursery

Lochside Drive at Dooley Road
Brentwood Bay, BC
250-544-3100

www.lochside.ca

Marigold Nurseries

7874 Lochside Drive
Saanichton, BC
250-652-2342

www.marigoldnurseries.com

Nature's Garden Seed Co.

Victoria, BC
250-595-2062
1-877-302-7333

mail@naturesgardenseed.com

www.naturesgardenseed.com

Russell Nursery

1370 Wain Road
North Saanich, BC
250-656-0384

russellnursery@telus.net

www.russellnursery.com

Saanich Native Plants

741 Haliburton Road
Saanich, BC
778-679-3459

info@saanichnativeplants.com

www.saanichnativeplants.com

Swan Lake Christmas Hill Nature Sanctuary

(annual native plant sale)
250-479-0211

info@swanlake.bc.ca

www.swanlake.bc.ca

Thousand Summers Environmental Design

(trees only)
250-727-0229

thousandsummers@shaw.ca

Wildwood Outdoor Living Centre at Cannor Nursery

4660 Elk Lake Drive
Victoria, BC
250-658-5415

www.wildwoodoutdoorliving.com

UP-ISLAND & GULF ISLANDS

Cairnpark Nursery Services

3467 Glenora Road
Duncan, BC
250-715-0559

Cultivate Garden and Gifts (formerly Cannor Nursery)

609 East Island Highway
Parksville, BC
250-248-0093
www.cultivategarden.com

Fraser's Thimble Farms

175 Arbutus Road
Saltspring Island, BC
250-537-5788
thimfarm@telus.net
www.thimblefarms.com

Galiano Conservancy Native Plant Nursery

(by appointment)
13680 Porlier Pass Road
Galiano Island, BC
250-539-2424
nursery@galianoconservancy.ca
www.galianoconservancy.ca

MacWatt Plants

(by appointment)
1750 Maple Bay Road
Duncan, BC
250-748-1527 or
cell 250-732-7315
dmacwatt@shaw.ca

Mayne Island Conservancy Society

478 Village Bay Road
Mayne Island, BC
250-539-5168
info@mayneconservancy.ca
<https://mayneconservancy.ca/>

Mayo Creek Gardens

(wholesale & retail)
6596 McLean Road
Lake Cowichan, BC
250-749-6291
mayocreekgardens@shaw.ca
www.mayocreekgardens.ca

Natural Abundance Native Plant Nursery

(call for hours and directions)
Nanaimo, BC
250-714-1990
plants@nalt.bc.ca
www.nalt.bc.ca

Quamichan Native Plants Inc.

(by appointment)
2380 Hatchery Road
Duncan, BC
250-732-0713
elliott_ken@hotmail.com

Streamside Native Plants

(wholesale and retail)
7455 Island Highway West
Bowser, BC
250-757-9999
1-877-570-3138
Richard@streamsidenativeplants.com
www.streamsidenativeplants.com

Sylvan Vale Nursery

(wholesale)
2104 B Kelland Road
Black Creek, BC
250-337-8487
info@svnltd.com
www.svnltd.com

Twining Vine Garden Seed Store

(internet orders only)
Fanny Bay, BC
<https://twiningvinegarden.com/>

Wildside Nursery

(by appointment)
1770 Corrigan Road
Denman Island, BC
250-335-1379
wildside@island.net

Yellow Point Propagation Ltd (wholesale seeds)

13735 Quennell Road
Ladysmith, BC
250-245-4635
ypprop@shaw.ca
www.yellowpointpropagation.com